

01.02 Order picking trolley KT3

The all-round talent!

- > System design with individual structure
- > Versatile equipment
- > Load capacity up to 300 kg



KT3 Basic model with accessories
Dimensions (mm): W 900 x D 467 x H 1630



Basic model

Basic model



Design: Chassis made of square tubing with welded bottom tray. Side panels made of square tubing frame with wire grate, inserted into chassis and screwed into place.

Castors: 4 Wanzl swivel castors Ø 125 mm, rubber tread.
Optional: 5th castor Ø 125 mm, fitted in the centre for easy manoeuvrability. The order picking trolley can turn on the spot.

Finish: High-gloss, galvanised, chrome-plated.

Technical specifications:

Width	900 / 1297 / 1713 mm
Total load capacity	200 / 300 / 300 kg
Load capacity per shelf	50 / 75 / 75 kg



Dimensions in mm



Forklift loops for the KT3 with a length of 1297 mm and 1713 mm

01.02 Order picking trolley KT3

Wide range of accessories

■ **The KT3 order picking trolley is the basis** for many picking jobs. The optional 5th castor makes it particularly agile and easy to manoeuvre. Whether handle, writing board or wire tray, wire or wooden shelves, you are always best equipped with the KT3.



KT3 with wooden shelves and additional accessories
Dimensions (mm): W 1297 x D 625 x H 1830

Ladder (optional)

The hinged ladder is equipped with a non-slip chequered rubber surface.



Note holder (optional)

Using a fastening clip you can attach notes or documents to the metal plate.



5th Castor (optional)

Mechanical design, simplifies steering and manoeuvring of the container. Antistatic strap as accessory.



Clothes rail (optional)

Transport of clothes is also no problem with the KT3.



Door and rear panel (optional)

The wire door and back panel secure your goods against unauthorised access.



Noise reduction

Plastic parts for securing and noise reduction are included as standard in the scope of delivery of the hook-in grate.










Pat. pend.



01.02 Order picking trolley KT3

Order numbers

Dimensions (mm)		Width 900			
Depth		467		625	
Height		1630	1830	1630	1830
Basic model order no.		06.00 230.50	06.00 231.50	06.00 232.50	06.00 233.50
Structure elements					
	Rear panel grate Screwed on, mesh size 50 x 50 mm	00.52 812.50	00.52 925.50	00.52 812.50	00.52 925.50
	Wire mesh door 2-leaf with locking mechanism, mesh size 50 x 50 mm	00.80 404.50	00.80 969.50	00.80 404.50	00.80 969.50
Static elements (a static element must be used with loads of > 50 kg or when using a ladder)					
	Connection tube To stabilise the side panels	00.49 781.50		00.49 781.50	
	Wire shelf, screw-on Mesh size 100 x 30 mm	00.05 372.50		00.69 634.50	
	Wire shelf, screw-on Mesh size 100 x 30 mm, with raised edge of 25 mm on both sides	00.45 035.50		00.45 713.50	
	Wooden shelf, screw-on With connection tubes between the side panels for fastening	00.70 538.50		00.70 312.50	
Shelves					
	Wire shelf, attachable Mesh size 100 x 30 mm	00.14 299.50		00.15 994.50	
	Wire shelf, attachable Mesh size 100 x 30 mm, with raised edge of 25 mm on both sides	00.22 661.50		00.23 791.50	
	Wire shelf, attachable Mesh size 100 x 30 mm, with raised edge of 100 mm on both sides	00.39 159.50		00.41 193.50	
	Divider For wire shelves with raised edge of 100 mm	00.18 531.50		00.51 456.50	
	Wooden shelf, attachable Between the side panels for fastening	00.72 946.50		00.73 624.50	
Accessories					
	Pushing handles (pair) Made of plastic-coated steel tubing in RAL 3000 flame red	00.40 570.76		00.40 570.76	
	Writing board Coated metal board with deep black surface	00.54 979.95		00.54 979.95	
	Clipboard Attachable, adjustable angle, with clamping strip	00.50 007.95		00.50 007.95	
	Wire tray for small items Plastic-coated in RAL 9005 jet black W 235 x D 170 x H 135 mm, mesh size 5 x 5 mm	00.14 378.76		00.14 378.76	
	Antistatic strap for reliable conductive discharge Fitted on chassis or on 5th castor	00.74 205.95		00.74 205.95	
	5th castor Mechanical, Ø 125 mm	60.01 017.50		60.01 017.50	
	Clothes rail Attachable, made of flat rolled steel tubing	00.55 205.95		00.55 205.95	
	Note holder, screw-on Plastic-coated metal board with clamping strip	05.40 634.95		05.41 019.95	
	Ladder Hinged, 3 steps with non-slip chequered rubber surface	00.80 409.50		00.07 106.50	
	Drawbar set For interconnecting several picking trolleys	00.14 703.50		00.14 703.50	
	Chassis with forklift loops	–		–	

Other accessories available on request.

01.02 Order picking trolley KT3

Width 1297				Width 1713			
467		625		467		625	
1630	1830	1630	1830	1630	1830	1630	1830
06.00 234.50	06.00 235.50	06.00 236.50	06.00 237.50	06.32 658.50	06.33 758.50	06.18 194.50	06.23 731.50
00.53 264.50	00.53 603.50	00.53 264.50	00.53 603.50	(depending on quantity)	77.24 881.50	(depending on quantity)	77.24 881.50
00.81 082.50	00.81 195.50	00.81 082.50	00.81 082.50	(depending on quantity)	77.24 994.50	(depending on quantity)	77.24 994.50
00.49 894.50		00.49 894.50		77.50 773.50		77.50 773.50	
00.06 163.50		28.06 893.50		77.34 772.50		77.24 768.50	
00.46 165.50		00.46 730.50		(depending on quantity)		(depending on quantity)	
00.67 748.50		00.70 086.50		(depending on quantity)		77.84 831.50	
00.14 638.50		00.15 316.50		77.85 489.50		77.36 294.50	
00.24 243.50		00.24 356.50		77.34 659.50		77.93 954.50	
00.39 950.50		00.41 419.50		-		-	
00.18 531.50		00.51 456.50		00.18 531.50		00.51 456.50	
00.73 963.50		00.74 528.50		-		-	
00.40 570.76		00.40 570.76		00.40 570.76		00.40 570.76	
00.54 979.95		00.54 979.95		00.54 979.95		00.54 979.95	
00.50 007.95		00.50 007.95		00.50 007.95		00.50 007.95	
00.14 378.76		00.14 378.76		00.14 378.76		00.14 378.76	
00.74 205.95		00.74 205.95		00.74 205.95		00.74 205.95	
60.01 017.50		60.01 017.50		60.01 017.50		60.01 017.50	
00.55 318.95		00.55 318.95		00.55 318.95		00.55 318.95	
05.40 634.95		05.41 019.95		05.40 634.95		05.41 019.95	
00.80 409.50		00.07 106.50		00.80 409.50		00.07 106.50	
00.14 703.50		00.14 703.50		00.14 703.50		00.14 703.50	
00.58 886.50		77.14 013.50		77.03 408.50		77.03 409.50	

